


Where models exist in the study area, a change factor has been

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a

0	0.1 0.	2 0.4	0.6
			km
REF	Date	Commen	ts
Α	Sept 15	Draft	
В	Oct 15	Final	
С			




The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.


Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



Indicative Climate Change extent

0	0.1 0.	.2	0.4	0.6
REF	Date		Comments	KII
Α	Sept 15	Draft		
В	Oct 15	Final		
С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

neet No: 10 of 27 Inde

Index Number: COV_SFRA_10








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend





Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

heet No: 11 of 27

Index Number: COV_SFRA_11








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan




Legend



Flood Zone 3 with Climate Change

//// Indicative Climate Change extent



Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 12 of 27 Index Number: COV_SFRA_12








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend





Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 13 of 27

Index Number: COV_SFRA_13








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



Flood Zone 3 with Climate Change

Indicative Climate Change extent

0	0.1 0	.2	0.4	0.6 km
REF	Date		Comments	
Α	Sept 15	Draft		
В	Oct 15	Final		
С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and databas

COVENTRY CITY COUNCIL SFRA APPENDIX D **CLIMATE CHANGE MAPS**


Sheet No: 14 of 27

Index Number: COV_SFRA_14

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the perm








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan




Legend



- 1 look Zone o Will olimate change

Indicative Climate Change extent




Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

eet No: 15 of 27 Index Number: COV_SFRA_15








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 16 of 27 Index Number: COV_SFRA_16








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



<u>Legend</u>






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 17 of 27 Index Number: COV_SFRA_17








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



Flood Zone 3 with Climate Change

Indicative Climate Change extent

	0	0.1 0.	2	0.4	0.6
					km
ı	REF	Date		Comments	
	Α	Sept 15	Draft		
Ī	В	Oct 15	Final		
Ī	С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 18 of 27

Index Number: COV_SFRA_18








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 19 of 27 Index Number: COV_SFRA_19








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 2 of 27 Index Number: COV_SFRA_2








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.


Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



Indicative Climate Change extent

0	0.1	0.2	0.4	0.6
REF	Date		Comments	kn
A	Sept 15	Draft	Comments	
В	Oct 15	Final		
C			•	

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesby's Stationary Office. © Crown copyright and database with Ordnance Survey and Controller of Her Majesby's Stationary Office.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 20 of 27 Ir

Index Number: COV_SFRA_20








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend





Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database clarks 2015 Ordnance Survey 100032004

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 21 of 27

Index Number: COV_SFRA_21








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend





Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

heet No: 22 of 27 In

Index Number: COV_SFRA_22








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 23 of 27 Index Number: COV_SFRA_23








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend

Coventry City boundary

Flood Zone 3 with Climate Change

Indicative Climate Change extent

0	0.1 0	.2	0.4	0.6
REF	Date		Comments	KII
Α	Sept 15	Draft		
В	Oct 15	Final		
С				

Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.


COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 24 of 27 Index

Index Number: COV_SFRA_24








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



Indicative Climate Change extent

0	0.1	0.2	0.4	0.6 km
REF	Date		Comments	
Α	Sept 1	5 Draft		
В	Oct 15	Final		
С				


Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 25 of 27 Index Number: COV_SFRA_25








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend

Coventry City boundary

Flood Zone 3 with Climate Change

Indicative Climate Change extent

0	0.1	0.2	0.4	0.6 km
REF	Date		Comments	
Α	Sept 1	5 Draft		
В	Oct 15	Final		
С				


Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 26 of 27 Index Number: COV_SFRA_26








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



Flood Zone 3 with Climate Change



Indicative Climate Change extent

0	0.1 0.	.2	0.4	0.6
				km
REF	Date		Comments	
Α	Sept 15	Draft		
В	Oct 15	Final		
С				


Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 27 of 27 Index Number: COV_SFRA_27








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan




Legend

Coventry City boundary

Flood Zone 3 with Climate Change

Indicative Climate Change extent




Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 3 of 27 Index Number: COV_SFRA_3








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend



0	0.1	0.2	0.4	0.6
REF	Date		Comments	kn
A	Sept 15	Draft	Comments	
В	Oct 15	Final		
C			•	


Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 4 of 27 Index Number: COV_SFRA_4








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



<u>Legend</u>






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 5 of 27 Index Number: COV_SFRA_5








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).

Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



<u>Legend</u>

Coventry City boundary

Flood Zone 3 with Climate Change

Indicative Climate Change extent

0 0.1 0.2 0.4 0.6

REF	Date	Comments
A	Sept 15	Draft
B	Oct 15	Final
C		


Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 6 of 27 Index Number: COV_SFRA_6








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database rights 2015 Ordance Survey 100026294.

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 7 of 27 Index Number: COV_SFRA_7








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend






Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database technology. Survey: 400,959,04

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 8 of 27 Index Number: COV_SFRA_8








The climate change map shows the potential impacts that climate change may have on river flows and, subsequently, on flood events. Where models exist in the study area, a change factor has been applied to the 1 in 100 year flows.

Where modelling output is not available, the Environment Agency's flood zones can provide some indication of areas where rare, more extreme flows might affect the floodplain extents, by comparing Flood Zone 3a with Flood Zone 2. For the purposes of this study, a precautionary approach has been adopted where Flood Zone 2 has been used as a guide to provide an indication of the likely increase in extent of Flood Zone 3 with climate change (hatched areas).


Developers should assess the flood risk implications of climate change to development as part of a detailed Flood Risk Assessment.

Key Plan



Legend





Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationary Office. © Crown copyright and database the 10 ft. Ordnance Survey (10/25/10/4

COVENTRY CITY COUNCIL SFRA APPENDIX D CLIMATE CHANGE MAPS

Sheet No: 9 of 27 Index Number: COV_SFRA_9



