

Part B Application Form Application for a Permit Pollution Prevention and Control Act, 1999 Pollution Prevention and Control (England and Wales) Regulations 2000 (as amended) Local Authority Pollution Prevention and Control

INTRODUCTION

When to use this form

Use this form if you are applying for a permit to a Local Authority to operate a dry cleaning installation as defined in Schedule 1 of The Solvent Emissions (England and Wales) Regulations, 2004 SI 107.

Before you start to fill in this form

Please read the DEFRA general guidance manual issued for LA-IPPC and LAPPC. This contains a list of other documents you may need to refer to when you are preparing your application, and explains some of the technical terms used. You will also need to read the relevant sector guidance note, BREF note or process guidance note as relevant. The Pollution Prevention and Control (England and Wales) Regulations 2000 can be obtained from The Stationary Office, or viewed on their website at: www.legislation.hmso.gov.uk/si/si2000/20001973.htm.

Which parts of the form to fill in

You should fill in as much of this form as possible. The appropriate fee must be enclosed with the application to enable it to be processed further. When completed return to:

Coventry City Council
Environmental Protection
Environmental Health
Room 305 Broadgate House
Broadgate
Coventry
CV1 1NH

Other documents you may need to submit

There are a number of other documents you will need to send us with your application. Each time a request for a document is made in the application form you will need to record a document reference number for the document or documents that you are submitting in the space provided on the form for this purpose. Please also mark the document(s) clearly with this reference number and the application reference number (if you have been given one, it will be at the top of the form on page 3). If you do not have either of these, please use the name of the installation.

Using continuation sheets

In the case of the questions on the application form itself, please use a continuation sheet if you need extra space; but please indicate clearly on the form that you have done so by stating a document reference number for that continuation sheet. Please also mark the continuation sheet itself clearly with the information referred to above.



Copies

Please send the original and three copies of the form and all other supporting material, to assist consultation.

If you need help and advice

We have made the application form as straightforward as possible, but please get in touch with us at the Local Authority address given above if you need any advice on how to set out the information we need.



LAPPC Application Form: to be Completed by the Operator

	For Local Authority use	
Application Reference:	Officer Reference:	Date Received:
1.1. Name of the premises		
•	STAR DRY CLE	ALIED (
NEGE	OTTIC PRICEC	HACKS
11.2. Please give the address	of the premises	
506	FOLESHOLL &	D
	COVENTRY	
·		
Postcode: CVG SHP Ordnance Survey national grid refer	Telephone: 02476	728120
For example, SJ 123 456)		
here are a number of Internet map	ping sites that will convert a Post Coa	le to a grid references
A1.3. Do you have an existing	g permit for a dry cleaning inst	allation?
Yes		
No		



A2.1. The Applicant

Please provide the full name of company or corporate body or the name of the sole trader or the names of the partners
MR MARWAHA
Trading/business name (if different):
BLUE STAR DRY CLEANERS
Registered Office address:
506 FOLESHTLL RD
506 FOLESHELL RD COVENTRY
Postcode: <u>CV6 5HP</u> <u>Telephone: 02476 728120</u>
A2.2. Holding Companies
Is the operator a subsidiary of a holding company within the meaning of Section 736 of the Companies Act 1985?
No
Yes - Name of ultimate holding company:
Ultimate holding company Registered office address:
Postcode: Telephone:



A3.1. Who can we Contact about your Application?

It will help us to have someone who we can contact directly with any questions about your application. The person you name should have the authority to act on behalf of the operator. This could be an agent or consultant rather than the operator.

Name:	MR MAI	RWAMA	_
Position:	SOLE	TRADER	_
Address:	506	FOLESHELL	R D
		COVEN	TRY
		Postcode:	CV65HP
Telephone Num	mber:	02476 72	8120
Fax Number:			
F-mail Address	s •		



B. About the installation

(a) The premises

B1.2. Please provide a plan of the premises showing the location of:

 (b) Where the dry cleaning machine(s) will be installed (c) Where the dry cleaning solvents will be stored (d) Where the dry cleaning residue will be stored (e) Any drains within the installation and in the immediate area of the installation which may be affected as a result of any potential Volatile Organic Compound (VOC) release from the dry cleaning operations
Document Reference:
B1.3. Please provide a description of the location and methods of storage of:
(a) Dry cleaning solvents (b) Dry cleaning residue
Document Reference: 3/3.
B1.4. Please provide information regarding the:
 (a) Make (b) Model name/number (c) Serial number (d) Load capacity (e) Date of installation (f) Type of dry cleaning solvent used for each machine.
Document Reference:



B1.5. Maintenance

Please provide details, including a schedule, of checking and maintenance procedures for each machine. This should include the machine manufacturer's recommended operating procedures, checking and maintenance requirements and any other additional procedures undertaken by the operator. This should be submitted in a form of a list of the activities carried out and their frequencies.

Document Reference: Pg 29. (Recorded) in book on machine.
B1.6. Other use of solvents
Provide details of any other activities carried out within the dry cleaning installation which involve the use of organic solvents in particular spot clean solutions, water-proofing solutions and any other solvents or solvent bourne preparations
Document Reference: And is Sie Sele Chemicals and the No other Solutions or solvents as ea
B1.7. Staff Training
Provide details on the training and relevant qualifications regarding operating and maintaining the dry cleaning machines. This should include details of operation of dry cleaning machines, control and use of dry cleaning solvents and location of machine's operating manuals.
The operation is maintained by the owner
Document Reference: MR MARNANA. HE Kas 45 gears experiente in This trade. The machine operating mann. B1.8. Product weight so located on the machine machine.
B1.8. Product weight so located on the moch int.
Specify how the product will be weighed and recorded weekly and annually.
Document Reference: The product weight is logged an adaily basis on a chart on the mathem and topically B1.9. Determination of solvent consumption Determination of solvent consumption
Provide details how the mass or volume of solvent used will be determined and recorded weekly and annually (due to the low use spot cleaning solvents they need only to be determined annually).
Document Reference: Monthly to the live of in litres is recorded



B2.0. Risk Phrase Solvents

At the time of writing and in the future it is believed unlikely that these materials will be used within the dry cleaning industry. (Details of the risk phrases of the materials used can be found on the original suppliers packaging and in the Materials Safety Data Sheet (MSDS) for the product)

B2.1 Are any substances or preparations which, because of their VOC content are required to carry one or more of the following risk phrases, used within the installation:

- R45 May cause cancer • R46 - May cause heritable genetic damage
- R49 May cause cancer by inhalation
- R60 May impair fertility


 R60 - May impair fertility R49 - May cause harm to the unborn child.
Your supplier should be able to advise you whether any such substances or preparations are being supplied.
Yes
No
If Yes, provide full details of how and why these risk phrase materials are used and how the requirements of the amendment 1C of Schedule 1 of The Solvent Emissions (England and Wales) Regulations, 2004 SI 107, substitution, control and limiting of emissions of risk phrase materials will be met.
Document Reference:



C1. Fees and Charges

The enclosed charging scheme leaflet gives details of how to calculate the application fee. Your application cannot be processed unless the application fee is correct and enclosed.

£ 2	0	Cheques should be made payable to: Coventry City Council
W		
we will conf	irm receipt of this	fee when we write to you acknowledging your application.
C1.2.		
Please give a	ny company purcl	nase order number or other reference you wish to be used in relation to this
C2. Annua	l charges	
	61141 565	
If we grant y permit can l	ou a permit, you	will be required to pay an annual subsistence charge. If you don't pay, ou will not be able to operate your installation.
permit can l	ou a permit, you	will be required to pay an annual subsistence charge. If you don't pay, ou will not be able to operate your installation.
permit can l C2.1. Please provid	you a permit, you be revoked and you	will be required to pay an annual subsistence charge. If you don't pay, ou will not be able to operate your installation. dress you wish invoices to be sent to and details of someone we may contact
permit can l C2.1. Please provid	you a permit, you be revoked and you le details of the add charges.	ou will not be able to operate your installation. dress you wish invoices to be sent to and details of someone we may contac
permit can l C2.1. Please provid	you a permit, you be revoked and you le details of the add charges.	ou will not be able to operate your installation.
permit can l	you a permit, you be revoked and you le details of the add charges.	ou will not be able to operate your installation. dress you wish invoices to be sent to and details of someone we may contac



C3. Commercial confidentiality

C3.1.

Is there any information in the application that you wish to justify being kept from the public register on the grounds of commercial confidentiality?
Yes
No
If Yes, please provide full justification, considering the definition of commercial confidentiality within the PPC regulations.
Document Reference:

C4. Data Protection

The information you give will be used by the Local Authority to process your application. It will be placed on the relevant public register and used to monitor compliance with the permit conditions. We may also use and/or disclose any of the information you give us in order to:

- · Consult with the public, public bodies and other organisations
- · Carry out statistical analysis, research and development on environmental issues
- Provide public register information to enquirers
- Investigate possible breaches of environmental law and take any resulting action
- · Prevent breaches of environmental law
- · Assess customer service satisfaction and improve our service

We may pass on the information to agents/ representatives who we ask to do any of these things on our behalf.

It is an offence under Regulation 32 of the PPC regulations, for the purpose of obtaining a permit (for yourself or anyone else) to:

- Make a false statement which you know to be false or misleading in a material particular
- Recklessly make a statement which is false or misleading in a material particular.

If you make a false statement we may prosecute you, and if you are convicted, you are liable to a fine or imprisonment (or both).



C5. Declaration

C5.1. Signature of current applicant(s)*

I / We certify that the information in this application is correct. I / We apply for a permit in respect of the particulars described in this application (including supporting documentation) I / We have supplied. Please note that each individual applicant must sign the declaration themselves, even if an agent is acting on their behalf.

For the application from: TARA LAL MAR WALLA.
Premises Name: BLUE & TAR DRY Cleaners
Signature;
Name: PARALAL MARWAHA
Position: Owner.
Date: 3/1/207
Signature:
Name:
Position:
Date:

^{*} Where more than one person is defined as the applicant, all should sign. Where a company or other body corporate - an authorised person should sign and provide evidence of authority from the board of the company or body corporate.

B 1.4.

(a) BOWE

(b) P414

(c) 1485/B507/1

(d) 12 Kg.

(e) Installed 2005


(e) Perchloroethylene.

a. Dry Clearing Solvents are stored in Supply packaging of 10 litres in plastic Containers (as, supplied)

b. Dry (leavin Residye is stored in 1900) (container Supplied by residue Collector.

.





cause long-term adverse effects in Wear suitable protective clothing


19C Wem Business Pack, New Street, Wem, Shropshire. Sy4 5JX Contents: 10 Litres

77121147/10

BLAN OF PREMISES

CHURCHIL

TO LONGFORD FOLESHILL RA



Keg

Dry Cleaning Machine

B. Dry Cleaning Mathial scrap toparts

C. Chemical Stone

D. Waste Store E. Stared drain.

Not To Scale

MAINTENANCE

spruch nur Ehrter Note: Guarantee claims will not be recognised unless maintenance has been properly carried out!

Maintenance summary

Daily:

ach Verschmutjeder Charge Button trap strainer: clean when needed, perhaps after each load (see 6.2)

Chargen reianfall öfter. - Lint filter: clean every 8 - 10 loads, or more often if needed (see 6.3)

Jirektdampf bzw. tillieren, ent-≥ 6.6) Still: strip with live-steam or addition of water (el), empty and clean (see 6.6)

.ckverhältnis.4 und 6.5)

- Maintenance of filter depends on pressure condition (see 6.4 and 6.5)

Funktion prüihler": Bei - 35 ^OC "Before cooler" thermostat: check,
 "After cooler": end of drying not over 35 °C

erstand vor if, nach- Steam generator: check water level before putting machine into operation and refill if needed (see page 23)

Weekly:

ren,säubern u. füllen (s.6.7) Water separator: empty, clean and fill with fresh solvent (see 6.7)

Monthly:

ı, säubern und ≥n (siehe 6.7) Water separator: empty, clean and fill with fresh solvent (see 6.7)

densat- und (siehe 6.9)

- Strainers in steam and water supply: clean (see 6.9)

bscheider

 Compressed air armature: Drain water separator (see 6.10)

ckzylinder ernippel mit en (siehe 6.8) Fan, filter shocking ram and cage bearing: lubricate with grease gun (1 stroke) at nipple (see 6.8)

Half-yearly:

kontrollieern (s. 6.11) - Air cooler: check for linting, take out and clean (see 6.11)

erabscheider ng prüfen

 Solvent drain to water separator: check for clear passage

tionsdeckel (siehe 6.12)

- Tanks: pump empty, remove inspection cover, clean interior (see 6.12)

Yearly:

ühren lassen

- Have machine inspected

NOTE:

mbasis

Use only lithium-based greases, e.g.

BEACON M 285 (ESSO) ALVANIA 3 (SHELL) RETINAX A (SHELL)

