



KEY

Tree Categorisation:

(Tree quality assessment based on BS 5837:2012 'Trees in relation to design, demolition and Construction - Recommendations')

Crown spread of category A
Trees of high quality and value

Crown spread of category B
Trees of moderate quality and value

Crown spread of category C
Tree of low quality and value

Crown spread of category U
Trees unsuitable for retention

Root Protection Area (RPA)
To be used to inform design proposals and assess potential tree impacts. It represents the minimum area around each tree that should be left undisturbed to ensure their survival.

Survey boundary

Hedgerow
(Not categorised)

Approximate position
(where not shown on the topographical survey)

NOTES

- To be read in conjunction with Tree Survey Schedule 1273-S-001

PROJECT INFO

Project: Woodfield School - Hawthorn Lane

Title: Tree Constraints Plan

Client: Seymour Harris Architecture

Project No: 1273

Drawing No: 1273-D-001

Rev:

Scale: 1:1,000 @ A3

Date: 11.10.2019

Drawn: CA

Checked: ROS

Figure No:

6c Southfield Road

Southern

Warwickshire

CV47 0FB

Tel: 01926 810 023

Email:

enquiries@treeandwoodland.co.uk

Web: www.treeandwoodland.co.uk

DO NOT SCALE FROM THIS DRAWING

©The Tree and Woodland Company

DRAFT

- Do not scale this drawing. All dimensions must be checked/ verified on site. If in doubt ask.
- Tree locations plotted referencing topographical survey drawing 24717cv-01-02' as supplied.
- This drawing is to be read in conjunction with all relevant architects, engineers and specialists drawings and specifications.